STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	15G170	A. BUILDING _____ B. WING _____	R 10/25/2011

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
STONE BELT ARC INC	4417 BLACKSTONE CT BLOOMINGTON, IN 47401

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
{W 000}	INITIAL COMMENTS This visit was for a post certification revisit (PCR) to the fundamental recertification and state licensure survey completed on 8/17/11. Survey Dates: October 24 and 25, 2011 Facility Number: 000704 Provider Number: 15G170 AIM Number: 100234540 Surveyor: Steven Schwing, Medical Surveyor III Stone Belt ARC Inc. was found to be in compliance with 42 CFR Part 483, Subpart I and 460 IAC 9 in regard to the PCR to the recertification and state licensure survey. Quality review 11/03/11 by Suzanne Williams, RN	{W 000}		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.